

# High Performance In-Counter Scanner and Scanner/Scale

The Magellan 8500Xt scanner/scales are the culmination of recent developments by Datalogic Scanning in high-performance fixed position scanning for the Retail Industry. No other bar code scanner designed for high volume retail performs better, has better reliability, or has the combination of features that translate into a measurable Return on Investment (ROI) than the Magellan 8500Xt products. The Magellan 8500Xt scanner/scale inherits the Magellan brand's renowned reputation for performance and reliability that has made Magellan the number one high-performance retail scanner brand in the world.

Magellan Scale Technology, Datalogic Scanning's new factory certified weighing system, virtually eliminates additional costs associated with integration. Scale-settling times (less than 500 milliseconds) are the fastest in the industry, improving throughput on priced-by-weight items. A Dual Interval Scale model legally weighs smaller, high-priced items for increased revenue. A scale-ready model version for integration of adaptive scales is also available.

The Magellan 8500Xt scanner/scale addresses produce shrink at the POS with the patented All-Weighs® scale platter that allows cashiers to weigh long or bulky produce without touching a non-weighing surface. Optional Checkpoint® and Sensormatic® integrated EAS antennas reduce shrink at the POS by requiring a good read before deactivating an EAS tag.

Data management is essential for managing POS operations. A new label editing feature enables easy pre-formatting of data before delivery to the POS. Value Added Features are reporting tools that allow data from the scanner to be used to improve throughput and manage maintenance. Special EAS reporting features provide immediate feedback and the ability to track EAS tagging compliance on a per-item basis.

The Magellan 8500Xt scanners/scales are the world's number one retail scanner in performance, reliability and high value differentiated features.

#### **Features**

- SurroundScan® 3D Scanning™
  provides 6-sided scanning to improve
  throughput, increase operational
  efficiency, and increase customer
  satisfaction by shortening checkout lines
- Magellan Scale Technology, Datalogic Scanning's new factory certified weighing system, reduces scale settling time to less than 500 milliseconds per transaction improving throughput on weighed items
- Patented All-Weighs® scale platter reduces produce loss at the front end by providing a unique solution for weighing long or bulky produce
- Optional Checkpoint® or Sensormatic® integrated EAS antennas reduce 'Failure to Deactivate' events at the exit gates
- Improved ease of service features reduce the total cost of ownership
- Optional PreScan™ software allows customers to have their purchases scanned while waiting in line
- WMI Compliant; Integrates with IBM Director through RMA



www.scanning.datalogic.com

# **\$DATALOGIC**

# Specifications

**DECODING CAPABILITY** 

1D / LINEAR CODES Autodiscriminates all standard 1D codes including GS1 DataBar™

linear codes

STACKED CODES GS1 DataBar Expanded Stacked; GS1 DataBar Stacked; GS1 DataBar

Stacked Omnidirectional

**ELECTRICAL** 

AC Input: 100 - 250 VAC 50 Hz AC POWER REQUIREMENTS

Power Consumption: Operating (Maximum): 17 Watts

Operating (Nominal): 9 Watts

**ENVIRONMENTAL** 

**HUMIDITY (NON-CONDENSING)** 

**TEMPERATURE** 

Operating: 10 to 40  $^{\circ}\text{C}$  / 50 to 104  $^{\circ}\text{F}$ 

Storage/Transport: -40 to 70 °C / -40 to 158 °F

**INTERFACES** 

EAS Port; Powered RS-232; Remote Scale Display; Scale Host; **AUXILIARY PORTS** 

Sensormatic EAS Controller Port

RS-232 / IBM 46XX / USB MULTI-INTERFACE OEM (IBM) USB Plus Power (Scanner and Scale); RS-232 (Scanner) /

RS-232 (Scale); RS-232 (Scanner) or Single Cable RS-232 (Scanner and

**OPTIONAL FEATURES** 

ALL-WEIGHS SCALE PLATTER Produce Rail™

EAS FEATURES Checkpoint Systems: Integrated EAS hardware will work with

Counterpoint IV, V, VI and VII models

Sensormatic: Datalogic SmartSentry™ Firmware Interfaces with the Sensormatic AMB-9010 EAS Deactivation Controller; Good Read Acknowledgement; Integrated EAS Antenna in the Vertical and

Horizontal Plane Dual Interval Scale; Single Interval Scale

MAGELLAN SCALE TECHNOLOGY PRESCAN™ QUEUE-BUSTING SOFTWARE

REMOTE SCALE DISPLAY

Single and Multi-Lane Configurations Dual Display with (20.3 cm / 8.0 in) Post Single Display with (20.3 cm / 8.0 in) Post

Cashier Training™; Diagnostic Reporting; Host Download; **VALUE ADDED FEATURES** 

Productivity Index Reporting™ (PIR)

PHYSICAL CHARACTERISTICS

DIMENSIONS Depth (Below Counter): 12.7 cm / 5.0 in

Height (Above Counter): 17.8 cm / 7.0 in Length: Model 8503 (Long, Scanner Only): 50.8 cm / 20.0 in; Model 8504 (Long, Scanner/Scale): 50.8 cm / 20.0 in Model 8505 (Short, Scanner Only): 42.2 cm / 16.6 in

Width: 29.2 cm / 11.5 in

**SCALE CAPACITIES** Adjustments Required: Calibration Only (Unless in EC countries

where pre-verification is allowed)

Capacity: Dual Interval Scale: Range 1: 0 - 6.0 kg / 0 - 12.0 lb; Range 2: 6.0 - 15.0 kg / 12.0 - 30.0 lb Single Interval Scale: 0 - 15.0 kg / 0 - 30.0 lb

Maximum Static Weight: 68.0 kg / 150.0 lb

Minimum Increment: Dual Interval Scale: Increment 1: 0.002 kg /

0.005 lb

Increment 2: 0.005 kg / 0.010 lb

Single Interval Scale: 0.005 kg / 0.010 lb Vibration Immunity: 4 Programmable Filter Settings Model 8503 (Long, Scanner Only): 9.1 kg / 20.0 lb

Model 8504 (Long, Scanner/Scale): 11.8 kg / 26.0 lb Model 8505 (Short, Scanner Only): 8.2 kg / 18.0 lb

**READING PERFORMANCE** 

MOTOR SPEED 6,000 rpm READ HEIGHT 15.2 cm / 6.0 in READ RATE (MAXIMUM) 6.400 scan lines/sec.

**READING INDICATORS** Beeper (Adjustable Tone and Volume); Good Read LED **SCAN LINES** 

**SCAN ZONE** 360° x 2

SIDES READ 6 Sides - SurroundScan 3D Scanning™

**SAFETY & REGULATORY** 

**ENVIRONMENTAL COMPLIANCE** 

LASER CLASSIFICATION

AGENCY APPROVALS The product meets necessary safety and regulatory approvals for its

intended use.

The Quick Reference Guide for this product can be referred to for a

complete list of certifications.

Complies to China RoHS; Complies to EU RoHS

Caution Laser Radiation - Do not stare into beam; CDRH Class Ila

UTILITIES

WEIGHT

OPOS / JAVAPOS JavaPOS Utilities are available for download at no charge; OPOS

Utilities are available for download at no charge

WARRANTY 1-Year Factory Warranty



All rights reserved. • Protected to the fullest extent under U.S. and international laws. Copying, or altering of this document is prohibited without express written consent from Datalogic Scanning, Inc.

Datalogic is a registered trademark of Datalogic S.p.A. in many countries and the Datalogic logo is a trademark of Datalogic S.p.A.

Magellan, All Weighs and SurroundScan are registered trademarks of Datalogic Scanning Inc. and 3D Scanning, Cashier Training, PreScan, Produce Rail and Productivity Index Reporting and SmartSentry are trademarks of Datalogic Scanning Inc.

Other brand and product names may be trademarks of their respective owners.

www.scanning.datalogic.com



Phone: 1-800-351-9962 Fax: 1-312-212-1800

# About BarcodesInc

#### Who We Are

BarcodesInc is North America's leading provider of •] ^&  $\hat{a}$   $\hat{a}$ 

#### We Owe Our Success To You

# Why Choose BarcodesInc?

# Dedicated Account A UbU[ Yf

Our Account Managers will not compromise when it comes to providing you top-notch service. Your Account Manager is the primary point of contact for your business and makes it a priority to get to know you, your company and all your needs.

### **Highly-Trained Technical Support**

Our technical staff has the broadest knowledge and every significant certification in the industry. One of our friendly experts is always available to suggest products and solutions for any situation.

## Incredible Value

Our purchasing power means big savings for you. Whatever your project, our team will work hard to deliver a solution that fits your budget.

#### Largest Inventory in the Industry and Same-Day Shipping

Whatever your barcoding, mobile computing, or printing needs, we will fill your order and ship it the same & È

#### **Premier Access to Top Manufacturers**

BarcodesInc maintains strong strategic partnerships with the leading manufacturers in barcoding, mobile computing, printing and RFID.

# **Responsive Customer Service**

Every phone call and email is responded to promptly, completely and accurately by our customer service & æ È

# **Easy Returns**

Damaged, defective or incorrectly ordered goods may be returned without hassle.

### **BRANDS**





Intermec

Honeywell

ODATALOGIC.











unitech





Microsoft\*



symbol\*

AND MORE